



Shell Scripting

Santosh Kyadari (santoshk@tifr.res.in)

--CCCF

Date: 8 -11 -2019



shell scripts

- Text files that contain sequences of UNIX commands , created by a text editor
- No compiler required to run a shell script, because the UNIX shell acts as an **interpreter** when reading script files
- After you create a shell script, you simply tell the OS that the file is a program that can be executed, by using the **chmod** command to change the files' mode to be executable

```
/bin/sh ./myscript.sh
```

```
./myscript.sh # If execution permissions are set to file
```



Variables

- ▶ We can use variables as in any programming languages. Their values are always stored as strings, but there are mathematical operators in the shell language that will convert variables to numbers for calculations.
- ▶ We have **no need to declare a variable**, just assigning a value to its reference will create it.



Variables

▶ Example

```
▶ #!/bin/sh
```

```
STR="Good Morning"
```

```
echo "STR Variable $STR"
```

```
SINGLEQUOTE='Hi, $STR'
```

```
echo "SINGLEQUOTE variable $SINGLEQUOTE"
```

```
NUM=365
```

```
DATESTAMP=`date`
```

```
echo "NUM $NUM DATESTAMP $DATESTAMP"
```

- ▶ Line 2 creates a variable called **STR** and assigns the string "**Good Morning**" to it. Then the value of this variable is retrieved by putting the '\$' in at the beginning.



Quote Characters (double quotes)

There are three different quote characters with different behaviour. These are:

“ : **double quote**, weak quote. If a string is enclosed in “ ” the references to variables (i.e ***\$variable***) are replaced by their values. Also back-quote and escape \ characters are treated specially.

```
$ var="test string"  
$ newvar="Value of var is $var"  
$ echo $newvar  
Value of var is test string
```



single quote

- ' : **single quote**, strong quote. Everything inside single quotes are taken literally, nothing is treated as special.

```
$ var='test string'
```

```
$ newvar='Value of var is $var'
```

```
$ echo $newvar
```

```
Value of var is $var
```



back quote

- ` : **back quote**. A string enclosed as such is treated as a command and the shell attempts to execute it. If the execution is successful the primary output from the command replaces the string.

Example:

```
$ echo "Today is: `date`"
```

```
Today is: Tue Aug 28 20:32:10 IST 2012
```



echo

`echo` command is well appreciated when trying to debug scripts.

Syntax : `echo {options} string`

Options: **-e** : expand \ (back-slash) special characters

-n : do not output a new-line at the end.

String can be a “weakly quoted” or a ‘strongly quoted’ string.

In the weakly quoted strings the references to variables are replaced by the value of those variables before the output.

As well as the variables some special backslash_escaped symbols are expanded during the output. If such expansions are required the **-e** option must be used.

```
echo -e "I am santosh \n Hi"
```




A few global (environment) variables

SHELL	Current shell
DISPLAY	Used by X-Windows system to identify the display
HOME	Fully qualified name of your login directory
PATH	Search path for commands
MANPATH	Search path for <man> pages
PS1 & PS2	Primary and Secondary prompt strings
USER	Your login name
TERM	terminal type
PWD	Current working directory



Positional Parameters

When a shell script is invoked with a set of command line parameters each of these parameters are copied into special variables that can be accessed.

- **\$0** This variable that contains the name of the script
- **\$1, \$2, \$9** 1st, 2nd 3rd command line parameter
- **\$#** Number of command line parameters
- **\$\$** process ID of the shell
- **\$@** same as **\$*** but as a list one at a time (see for loops later)
- **\$?** Return code 'exit code' of the last command



Positional Parameters

Example:

```
./myscript  one two buckle my shoe  
sh ./myscript  one two buckle my shoe
```

During the execution of `myscript` variables `$1` `$2` `$3` `$4` and `$5` will contain the values *one*, *two*, *buckle*, *my*, *shoe* respectively.



read command

- The **read** command allows you to prompt for input and store it in a variable.
- **Example (read.sh)**
 - ```
#!/bin/bash
echo -n "Enter name of file to delete: "
read FILE
echo "Type 'y' to remove it, 'n' to change your
mind ... "
rm -i $FILE
echo "That was YOUR decision!"
```
- Line 3 creates a variable called **FILE** and assigns the input from keyboard to it. Then the value of this variable is retrieved by putting the '\$' in at its beginning.



# test command

---

- test statement: used to test a condition
  - Generates a true(0) /false(1) value
  - Inside of square brackets ( [ ... ] ) or prefixed by the word "test"
    - Must have spaces after "[" and before "]"

```
test 5 -eq 7 # results false [5 -eq 7]
```

```
test 7 -gt 3 # results true [7 -gt 3]
```

```
test "abcd" = "azbcd" # results false ["abcd" = "azbcd"]
```

```
test 5 -eq 7 -a 7 -gt 3 # results false
```



# Arithmetic Comparison

---

expression1 *operator* expression2

operator **-eq** equal to

operator **-ne** not equal

operator **-gt** greater than

operator **-ge** greater than or equal to

operator **-lt** less than

operator **-le** less than or equal to



# Arithmetic Comparison

---

## Examples:

[ "\$n1" -eq "\$n2" ] (true if n1 same as n2, else false)

[ "\$n1" -ge "\$n2" ] (true if n1 greater then or equal to n2, else false)

[ \$n1 -le \$n2 ] (true if n1 less then or equal to n2, else false)

[ \$n1 -ne \$n2 ] (true if n1 is not same as n2, else false)

[ \$n1 -gt \$n2 ] (true if n1 greater then n2, else false)

[ \$n1 -lt \$n2 ] (true if n1 less then n2, else false)



# String Comparison

- `"$string1" = "$string2"` True if equal
- `"$string1" == "$string2"` True if equal
- `"$string1" != "$string2"` True if *not* equal
- `-n "$string"` True if length of string is greater than 0
- `-z "$string"` True if length string is zero

## Examples

- [ `"$s1" = "$s2"` ] (true if s1 same as s2, else false)
- [ `"$s1" != "$s2"` ] (true if s1 not same as s2, else false)
- [ `"$s1"` ] (true if s1 is not empty, else false)
- [ `-n "$s1"` ] (true if s1 has a length greater than 0, else false)
- [ `-z "$s2"` ] (true if s2 has a length of 0, otherwise false)





# File Conditions

---

- d file True if file a directory
- f file True if the file exists and is not directory
- s file True if the file exist and greater than 0
- e file True if the file exist
- c file True if the file is character special file
- b file True if the file is block special file
- r file True if file exists and you have read permissions
- w file True if file exists and you have write permissions
- x file True if file exists and you have execute permissions
- k file True if file exists and its sticky bit set

```
test -f abcd ; echo $?
```



# Logical Conditions

- ! negate (NOT) a logical expression
- a logically AND two logical expressions
- && logically AND two logical expressions
- o logically OR two logical expressions
- || logically OR two logical expressions

## Examples:

```
[! -f test1.sh] ; echo $?
```

```
[$PERC -gt 80 -a $RANK -lt 10] ; echo $?
```

```
[5 -gt 2] && [3 -lt 10] ; echo $?
```

```
[5 -gt 2 -o 3 -lt 10] ; echo $?
```

```
[5 -gt 2] || [3 -lt 10] ; echo $?
```



# Precedence

/, \*, %

-first priority

+, -

-second priority

In Logical

!

not

-lt, -gt, -le, -ge, -eq, -ne

relational

-a

and

-o

or

Example  $5+3*6/2$  equal to 14

~~$5+3*6/2$  equal to 24~~

# Conditional Statements (if constructs )

**The most general form of the if construct is;**

```
if command executes successfully
then
 execute command
elif this command executes successfully
then
 execute this command
 and execute this command
else
 execute default command
fi
```

However- elif and/or else clause can be omitted.



# Examples

---

## **SIMPLE EXAMPLE:**

```
if date | grep "Fri"
then
 echo "It's Friday!"
fi
```

## **FULL EXAMPLE:**

```
if ["$1" == "Monday"]
then
 echo "The typed argument is Monday."
elif ["$1" == "Tuesday"]
then
 echo "Typed argument is Tuesday"
else
 echo "Typed argument is neither Monday nor Tuesday"
fi
```

# Note: = or == will both work in the test but == is better for readability.



# Examples

---

## Another example:

```
#!/bin/sh
number is positive, zero or negative
echo -e "enter a number:\c"
read number
if ["$number" -lt 0]
then
 echo "negative"
elif ["$number" -eq 0]
then
 echo zero
else
 echo positive
fi
```



# Loops

---

Loop is a block of code that is repeated a number of times.

The repeating is performed either a pre-determined number of times determined by a list of items in the loop count ( **for loops** ) or until a particular condition is satisfied ( **while loops** )



# for Loop

---

## Syntax:

```
for arg in list
do
 command(s)
 ...
done
```

Where the value of the variable *arg* is set to the values provided in the list one at a time and the block of statements executed. This is repeated until the list is exhausted.

## Example:

```
n=5
```

```
for i in `seq 1 5` # for i in `1 2 3 4 5`
do
```

```
 echo -e "$n * $i = `expr $i * $n`"
```

```
done
```





# The while Loop

---

- A different pattern for looping is created using the `while` statement
- The `while statement` best illustrates how to set up a loop to test repeatedly for matching condition
- The while loop tests an expression in a manner similar to the `if statement`
- As long as the statement inside the brackets is true, the statements inside the do and done statements repeat



# while do Loop

---

## Syntax:

```
while this_command_execute_successfully
do
 this command
 and this command
done
```

## EXAMPLE:

```
i=1
n=5
while [$i -le 10]
do
 echo -e "$n * $i = `expr $i * $n` \n"
 i=`expr $i + 1`
done
```



# Examples

---

## **EXAMPLE:**

```
while read LINE
do
 echo -e "IP is $LINE \n"
 ping -c 1 $LINE
done<IPs.txt
```



# switch/case Logic

---

- The case statement is good alternative to Multilevel if-then-else-fi statement. It enable you to match several values against one variable. Its easier to read and write.
- The **switch logic** structure simplifies the selection of a match when you have a list of choices
- It allows your program to perform one of many actions, depending upon the value of a variable



# Case syntax

Syntax:

```
case $variable-name in
 pattern1) command
 ...
 command;;
 pattern2) command
 ...
 command;;
 patternN) command
 ...
 command;;
 *)
 ...
 command;;
esac
```



# Case examples

---

```
echo -n "Enter the name of vehicle for rent. e.g. car, van, jeep:"
```

```
read rental
```

```
case $rental in
```

```
"car") echo "For $rental Rs.20 per k/m";;
```

```
"van") echo "For $rental Rs.10 per k/m";;
```

```
"jeep") echo "For $rental Rs.5 per k/m";;
```

```
"bicycle") echo "For $rental 20 paisa per k/m";;
```

```
*) echo "Sorry, I can not get a $rental for you";;
```

```
esac
```



# functions

---

- **function is series of instruction/commands.  
function performs particular activity in shell i.e.  
it had specific work to do or simply say task.**
- **To define function use following syntax:**

```
function-name ()
{
 command1
 command2

 ...
 commandN
 return
}
```



# function example

---

```
$ sh ./function.sh
```

```
Hello santoshk, Have nice computing
```

```
Hello santoshk, Have nice computing
```

## Contents of function.sh

```
SayHello()
```

```
{
```

```
 echo "Hello $LOGNAME, Have nice computing"
```

```
 return
```

```
}
```

```
SayHello
```

```
SayHello
```





# Understanding Debugging

---

- Use the echo command to display the contents of variable
- Use set command to display script statements as they execute
- Options
  - -v displays each line read
  - +v turns off -v
  - -x displays the command and arguments
  - +x turns off -x



# at command

---

**at** command is capable of executing the commands at a future date and time

## Example

1) `at 19:30 sep 18`

```
at> echo "excuted at 19:30" >>reports.txt
cntrl+d
job 1 at 2012-08-30 21:00
```

2) `echo "script excuted" /tmp/abcd.txt |at now +2 minutes`



# crontab

- **crontab** can schedule to run a command or a script once or periodically like minutely, hourly, daily, weekly, monthly, yearly.

```
crontab -l lists the jobs of the user
Crontab -e allows to edit the jobs
```

## Format

```
* * * * *
| | | | |
| | | | +--- day of week (0 - 6) (Sunday=0)
| | | +----- month (1 - 12)
| | +----- day of month (1 - 31)
| +----- hour (0 - 23)
+----- min (0 - 59)
```



# Crontab examples

---

# every 0<sup>th</sup> minute of 0<sup>th</sup> hour (i.e 12am) will run script

```
0 0 * * * /bin/sh /home/santoshk/bd/sc
```

# every 30th minutes will run the script

```
*/30 * * * * /bin/sh home/santoshk/ping.sh >/dev/null
```

# every Tues day at 2.30 will run the script

```
30 2 * * 2 /bin/sh home/santoshk/ping.sh >/dev/null
```

Ref: <https://crontab.guru/>



# example

---

## Cron entry

```
*/15 * * * * /bin/sh /home/santoshk/ping/check_ips.sh >/dev/null
```

## **list\_of\_ips.txt**

**C-BLOCK-C-212-S1,158.144.64.2**

**C-BLOCK-FH-15-S2,158.144.55.3**

**C-BLOCK-FH-15-S1,158.144.55.4**

**#C-BLOCK-FH-15-450-T,158.144.55.5**

**,**

**D-BLOCK-D-104-B-S1,158.144.68.66**

**D-BLOCK-D-213-S1,158.144.54.66**

**D-BLOCK-D-213-S2,158.144.60.130**

**D-BLOCK-D-213-450T,158.144.60.131**



# example

---

\$ more mail\_report

Dear,

**Following IPs were not able to ping. Please check.**



# example part 1

---

# Initialising the script parameteres

**cd /home/santoshk/ping**

**>tmp\_report**

**>IPS\_NOT\_PING**

**grep -v "^#" list\_of\_ips.txt |grep -v "^,\$" |grep -v "^\$" >tmp\_list**

**alias DSTAMP='date \"+%d/%b/%Y %H:%M:%S\"'**

**#START=`echo \$(DSTAMP)`**

**echo "\$(DSTAMP) Ping started" >tmp\_pingreport**



# example part 2

```
ping lis of IPs and create non pingable IPS list (IPS_NOT_PING
```

```
while read IPLINE
```

```
do
```

```
NAME=`echo "$IPLINE"|cut -f 1 -d ","`
```

```
IP=`echo "$IPLINE"|cut -f 2 -d ","`
```

```
ping -c 5 -i 0.2 -W 2 $IP |grep "64 bytes from">/dev/null
```

```
if [$? -eq 1]
```

```
then
```

```
 echo "$NAME,$IP" >>IPS_NOT_PING
```

```
fi
```

```
done<tmp_list
```





# example part 3

```
Recheck the non pingable IPs and create report
```

```
while read IPLINE
```

```
do
```

```
NAME=`echo "$IPLINE"|cut -f 1 -d ","`
```

```
IP=`echo "$IPLINE"|cut -f 2 -d ","`
```

```
ping -c 10 -i 0.2 -W 2 $IP |grep "64 bytes from">/dev/null
```

```
if [$? -eq 1]
```

```
then
```

```
 echo "$(DSTAMP) Could not ping $IP : $NAME" >>tmp_report
```

```
fi
```

```
done<IPS_NOT_PING
```



# example part 4

#If the non pingable IPs  
are in report then a mail.

```
cat mail_text.txt tmp_report >mail_report
```

```
if [-s tmp_report]
```

```
then
```

```
 SUBJECT=`head -1 tmp_report|awk '{print $6 $7 $8}'`
```

```
 /usr/bin/mutt -s "Ping Service Status $SUBJECT " mh@tifr.res.in<mail_report
```

```
fi
```

```
cat tmp_report >>tmp_pingreport
```

```
echo "$(DSTAMP) Ping Completed" >>tmp_pingreport
```

```
echo " " >>tmp_pingreport
```

```
cat pingreport >>tmp_pingreport
```


```
mv -f tmp_pingreport pingreport
```



# References

---

- Unix shell programming -by Yashwant Kanetkar
- Unix Concepts and Applications –by Sumitabha Das
- <http://www.grymoire.com/Unix/Sed.html>
- <http://www.grymoire.com/Unix/Awk.html>
- <http://www.grymoire.com/Unix/Quote.html>
- <http://www.grymoire.com/Unix/Find.html>



**Thanks**